

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	437	user\$1 near10 resource\$1 same unix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:36
L2	252	user\$1 near10 resource\$1 same unix and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:36
L3	53	user\$1 near10 resource\$1 same unix and configuration near2 (file\$1 or list\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:40
L4	8	user\$1 near10 resource\$1 same unix and configuration near2 (file\$1 or list\$1) near15 resource\$1 and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:42
L5	6	user\$1 near10 resource\$1 same unix and configuration near2 (file\$1 or list\$1) near15 resource\$1 and user\$1 near5 (id\$1 or identification\$1 or log\$4 or sign\$4 or name\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:47
L6	2	"5220604".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:46
L7	7	unix and access\$4 near15 configuration near2 (file\$1 or list\$1) near15 resource\$1 and user\$1 near5 (id\$1 or identification\$1 or log\$4 or sign\$4 or name\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:48

EAST Search History

L8	23	user\$1 near5 configuration near2 (file\$1 or list\$1) near15 resource\$1 and user\$1 near5 (id\$1 or identification\$1 or log\$4 or sign\$4 or name\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:48
S1	94	user\$1 near10 resource\$1 near15 configuration near2 file\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:36
S2	52	user\$1 near10 resource\$1 near15 configuration near2 file\$1 and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:53
S3	2	"6845451" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:56
S4	6	("6088451" "5812784" "6205476") .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:58
S5	10	("6633906" "6446071" "6088451" "6178511" "5944824") .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:03
S6	15168	(access\$4 or allocat\$4) near15 resource\$1 near10 user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:13
S7	7220	(access\$4 or allocat\$4) near15 resource\$1 near10 user\$1 and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:13

EAST Search History

S8	701	(access\$4 or allocat\$4) near15 resource\$1 near10 user\$1 near5 (log\$4 or id\$1 or name or identification\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:14
S9	4	(access\$4 or allocat\$4) near15 resource\$1 near15 configuration near2 file\$1 near10 user\$1 near5 (log\$4 or id\$1 or name or identification\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:16
S10	15	(access\$4 or allocat\$4) near15 resource\$1 near10 user\$1 near5 (log\$4 or id\$1 or name or identification\$1) and resource\$1 near15 configuration near2 file\$1 and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:22
S11	7	(access\$4 or allocat\$4) near15 resource\$1 near10 user\$1 near5 (log\$4 or id\$1 or name or identification\$1) and resource\$1 near15 configuration near2 file\$1 and (@ad<"20001130" or @rlad<"20001130") and unix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:25
S12	2	"5220604".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:25
S13	1	"5220604".pn. and user\$1 near15 resource\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:28
S14	5	user\$1 near10 resource\$1 near3 configuration\$1 near3 list\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:29
S15	63	resource\$1 near3 configuration\$1 near3 list\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:29

EAST Search History

S16	54	user\$1 and resource\$1 near3 configuration\$1 near3 list\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:29
S17	44	user\$1 and resource\$1 near3 configuration\$1 near3 list\$1 and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:42
S18	131	user\$1 near3 configuration\$1 near3 list\$1 and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:42
S19	14	user\$1 near3 configuration\$1 near3 list\$1 and (@ad<"20001130" or @rlad<"20001130") and list\$1 near10 resource\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:43
S20	14	user\$1 near3 configuration\$1 near3 list\$1 and (@ad<"20001130" or @rlad<"20001130") and list\$1 near10 resource\$1 not "I44"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:44
S21	23	user\$1 near2 (id\$1 or log\$4 or sign\$3 or name\$1 or identification\$1) near3 configuration\$1 and (@ad<"20001130" or @rlad<"20001130") and list\$1 near10 resource\$1 not "I44"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:45
S22	23	user\$1 near2 (id\$1 or log\$4 or sign\$3 or name\$1 or identification\$1) near3 configuration\$1 and (@ad<"20001130" or @rlad<"20001130") and list\$1 near10 resource\$1 not ("I44" or S20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:48

EAST Search History

S23	10	resource\$1 near10 user\$1 near2 (id\$1 or log\$4 or sign\$3 or name\$1 or identification\$1) and (@ad<"20001130" or @rlad<"20001130") and configuration\$1 near5 list\$1 near10 resource\$1 not ("I44" or S20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:49
S24	0	attach\$6 near15 resource\$1 near10 user\$1 near2 (id\$1 or log\$4 or sign\$3 or name\$1 or identification\$1) and (@ad<"20001130" or @rlad<"20001130") and configuration\$1 near5 list\$1 near10 resource\$1 not ("I44" or S20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:49
S25	21	attach\$6 near15 resource\$1 near10 user\$1 near2 (id\$1 or log\$4 or sign\$3 or name\$1 or identification\$1) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:52
S26	0	attach\$6 near15 resource\$1 near10 user\$1 near2 configuration near5 (list or file) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:52
S27	28	attach\$6 near15 resource\$1 near10 user\$1 and configuration near5 (list or file) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:52
S28	7	attach\$6 near15 resource\$1 near10 user\$1 near2 (id\$1 or log\$4 or sign\$3 or name\$1 or identification\$1) and configuration near4 (list or file) and (@ad<"20001130" or @rlad<"20001130")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 17:52